Humenick, M.J. *et al.*: *Restoration of Uranium In-Situ Leaching Sites*, (Tech. Paper) SPEJ Aug., 221-227
Humenick, M.J. and **Johnson, D.**: *Niytification and In-Situ Uranium Solution Mining*, (Tech. Paper) SPEJ Oct., 415-422
Huntington, S.W. and **Gilbert, G.**: *Extreme Forces in Short Crested Seas*, (Tech. Paper) SPEJ Dec., 567-578

I

Ikoku, C.U. and **Ramey, H.J. Jr.**: *Wellbore Storage and Skin Effects During the Transient Flow of Non-Newtonian Power-Law Fluids in Porous Media*, (Tech. Paper) SPEJ Feb., 25-38

J

Johnson, D. and **Humenick, M.J.**: *Niytification and In-Situ Uranium Solution Mining*, (Tech. Paper) SPEJ Oct., 415-422
Jones, A.H. and **Yamada, S.E.**: *A Review of a Pulse Technique for Permeability Measurements*, (Forum) SPEJ Oct., 357-358

K

Kipp, M.E. *et al.*: *Explosive Fracture Studies on Oil Shales*, (Tech. Paper) SPEJ Oct., 349-356
Koerperich, E.A.: *Shear Wave Velocities Determined From Long- and Short-Spaced Borehole Acoustic Devices*, (Tech. Paper) SPEJ Oct., 317-326
Krantz, W.B. and **Gunn, R.D.**: *Reverse Combustion Instabilities in Tar Sands and Coal*, (Tech. Paper) SPEJ Aug., 267-277
Kucuk, F. *et al.*: *Behavior of the Bagnore Steam/CO2 Geothermal Reservoir, Italy*, (Tech. Paper) SPEJ Aug., 228-238
Kuniansky, J. and **Hillestad, J.G.**: *Reservoir Simulation Using Bottom-Hole Pressure Boundary Conditions*, (Tech. Paper) SPEJ Dec., 473-486

L

Laumbach, D.D. *et al.*: *Representing Steam Processes With Vacuum Models*, (Tech. Paper) SPEJ June, 151-174
Lee, M.H. and **Roberts, L.D.**: *The Effect of Heat of Reaction on Temperature Distribution and Acid Penetration in a Fracture*, (Tech. Paper) SPEJ Dec., 501-507
Leventhal, S.H.: *The Operator Compact Implicit Method for Reservoir Simulation*, (Tech. Paper) SPEJ June, 120-128
Locke, C.D. and **Wang, G.C.**: *A Laboratory Study of the Effects of CO2 Injection Sequence on Tertiary Oil Recovery*, (Forum) SPEJ Aug., 278-280
Longeron, D.G. and **Bardon, C.**: *Influence of Very Low Interfacial Tensions on Relative Permeability*, (Tech. Paper) SPEJ Oct., 391-401
Looney, M.D. *et al.*: *A Study of Oil Displacement by Microemulsion Systems-Mechanisms and Phase Behavior*, (Tech. Paper) SPEJ Dec., 459-472
Luks, K.D. and **Baker, L.E.**: *Critical Point and Saturation Pressure Calculations for Multipoint Systems*, (Tech. Paper) SPEJ Feb., 15-24

M

Mesmer, R.E. *et al.*: *Kinetics of Silica Deposition from Simulated Geothermal Brines*, (Tech. Paper) SPEJ Aug., 239-248
Miller, C.W.: *Wellbore Storage Effects in Geothermal Wells*, (Tech. Paper) SPEJ Dec., 555-566
Moench, A.F.: *Radial Steam Flow in Two-Phase Geothermal Reservoirs -- Comparison of Analytical and Finite Difference Solutions*, (Tech. Paper) SPEJ Oct., 359-362
Murphy, A.P. *et al.*: *Chemical Analyses of Brines From Four Imperial Valley, CA, Geothermal Wells*, (Tech. Paper) SPEJ Apr., 105-112

N

Needham, P.B. Jr. *et al.*: *Chemical Analyses of Brines From Four Imperial Valley, CA, Geothermal Wells*, (Tech. Paper) SPEJ Apr., 105-112
Nur, A.M. *et al.*: *Effects of Fluid Saturation on Waves in Porous Rock and Relation to Hydraulic Permeability*, (Tech. Paper) SPEJ Dec., 450-458

O

O'Sullivan, M.J. and **Zyvoloski, G.A.**: *Simulation of a Gas-Dominated, Two-Phase Geothermal Reservoir*, (Tech. Paper) SPEJ Feb., 52-58
Okoye, D.M. *et al.*: *A Study of Oil Displacement by Microemulsion Systems-Mechanisms and Phase Behavior*, (Tech. Paper) SPEJ Dec., 459-472

P

Peng, D-Y and **Robinson, D.B.**: *Discussion of Critical Point and Saturation Pressure Calculations for Multicomponent Systems*, (Tech. Paper) SPEJ Apr., 75-76
Pope, G.A.: *The Application of Fractional Flow Theory to Enhanced Oil Recovery*, (Tech. Paper) SPEJ June, 191-205
Pritchett, W.C.: *Physical Properties of Shales and Possible Origin of High Pressures*, (Tech. Paper) SPEJ Oct., 341-348

R

Ramey, H.J. Jr. and **Ikoku, C.U.**: *Wellbore Storage and Skin Effects During the Transient Flow of Non-Newtonian Power-Law Fluids in Porous Media*, (Tech. Paper) SPEJ Feb., 25-38
Ramirez, W.F. *et al.*: *Convection, Dispersion, and Adsorption of Surfactants in Porous Media*, (Tech. Paper) SPEJ Dec., 430-438
Rao, G.P. *et al.*: *Large Wire Rope Mooring Winch Drum Analysis and Design Criteria*, (Tech. Paper) SPEJ Apr., 63-74
Rao, G.V. *et al.*: *Crushing of Calcareous Sands During Drained Shear*, (Tech. Paper) SPEJ Apr., 77-85
Rhee, S.W. and **Doscher, T.M.**: *A Method for Predicting Oil Recovery by Steamflooding Including the Effects of Distillation and Gravity Override*, (Tech. Paper) SPEJ Aug., 249-266
Riley, W.D. *et al.*: *Chemical Analyses of Brines From Four Imperial Valley, CA, Geothermal Wells*, (Tech. Paper) SPEJ Apr., 105-112
Roberts, L.D. and **Lee, M.H.**: *The Effect of Heat of Reaction on Temperature Distribution and Acid Penetration in a Fracture*, (Tech. Paper) SPEJ Dec., 501-507
Robinson, D.B. and **Peng, D-Y**: *Discussion of Critical Point and Saturation Pressure Calculations for Multicomponent Systems*, (Tech. Paper) SPEJ Apr., 75-76

S

Satter, A. *et al.*: *Chemical Transport in Porous Media with Dispersion and Rate-Controlled Adsorption*, (Tech. Paper) SPEJ June, 129-138
Schechter, R.S. *et al.*: *Restoration of Uranium In-Situ Leaching Sites*, (Tech. Paper) SPEJ Aug., 221-227

Schmidt, Z. *et al.*: *Experimental Study of Severe Slugging in a Two-Phase-Flow Pipeline-Riser Pipe System*, (Tech. Paper) SPEJ Oct., 407-414
Seinfeld, J.H. *et al.*: *History Matching in Two-Phase Petroleum Reservoirs*, (Tech. Paper) SPEJ Dec., 521-532
Settari, A. *et al.*: *Modeling the Propagation of Waterflood-Induced Hydraulic Fractures*, (Tech. Paper) SPEJ Aug., 293-303
Settari, A.: *Simulation of the Hydraulic Fracturing Processes*, (Tech. Paper) SPEJ Dec., 487-500
Shaffer, R.J. and **Hanson, M.E.**: *Some Results From Continuum Mechanics Analyses of the Hydraulic Fracturing Process*, (Tech. Paper) SPEJ Apr., 86-94
Shuler, P.J. *et al.*: *Convection, Dispersion, and Adsorption of Surfactants in Porous Media*, (Tech. Paper) SPEJ Dec., 430-438
Shum, Y.M. *et al.*: *Chemical Transport in Porous Media with Dispersion and Rate-Controlled Adsorption*, (Tech. Paper) SPEJ June, 129-138
Silberberg, I.H. *et al.*: *Restoration of Uranium In-Situ Leaching Sites*, (Tech. Paper) SPEJ Aug., 221-227
Smith, C.S. *et al.*: *Explosive Fracture Studies on Oil Shales*, (Tech. Paper) SPEJ Oct., 349-356
Song, K.K. *et al.*: *Large Wire Rope Mooring Winch Drum Analysis and Design Criteria*, (Tech. Paper) SPEJ Apr., 63-74
Stegemeier, G.L. *et al.*: *Representing Steam Processes With Vacuum Models*, (Tech. Paper) SPEJ June, 151-174
Strickland, W.T. Jr.: *Laboratory Results of Cleaning Produced Water by Gas Flotation*, (Tech. Paper) SPEJ June, 175-190
Sydansk, R.D.: *Discussion of the Effect of Temperature and Confining Pressure on Single-Phase Flow in Consolidated Rocks*, (Transaction) JPT Aug., 1329-1330
Sylvester, N.D.: *Oil Water Saturation by Induced Air Flotation*, (Tech. Paper) SPEJ Dec., 579-590

T

Trimmer, D. and **Heard, H.C.**: *Compaction and Permeability of Oil-Shale Aggregates at High Temperature*, (Tech. Paper) SPEJ Apr., 95-104

V

Vandiver, J.K.: *Prediction of the Damping-Controlled Response of Offshore Structures to Random Wave Excitation*, (Tech. Paper) SPEJ Feb., 5-14
Venuti, W.J. and **Gerwick, B.C.**: *High- and Low-Cycle Fatigue Behavior of Prestressed Concrete in Offshore Structures*, (Tech. Paper) SPEJ Aug., 304-310
Vinatieri, J.E.: *Correlation of Emulsion Stu y with Phase Behavior in Surfactant Systems for Tertiary Oil Recovery*, (Tech. Paper) SPEJ Oct., 402-406
Volek, C.W. *et al.*: *Representing Steam Processes With Vacuum Models*, (Tech. Paper) SPEJ June, 151-174

W

Walls, J. *et al.*: *Effects of Fluid Saturation on Waves in Porous Rock and Relation to Hydraulic Permeability*, (Tech. Paper) SPEJ Dec., 450-458
Walsh, M.P. *et al.*: *Restoration of Uranium In-Situ Leaching Sites*, (Tech. Paper) SPEJ Aug., 221-227
Wang, G.C. and **Locke, C.D.**: *A Laboratory Study of the Effects of CO2 Injection Sequence on Tertiary Oil Recovery*, (Forum) SPEJ Aug., 278-280
Wargin, R.V.: *Materials Approach to the Development of Oil Well Cables*, (Tech. Paper) SPEJ Dec., 591-597
Watson, A.T. *et al.*: *History Matching in Two-Phase Petroleum Reservoirs*, (Tech. Paper) SPEJ Dec., 521-532
Weatherill, B.D. *et al.*: *Modeling the Propagation of Waterflood-Induced Hydraulic Fractures*, (Tech. Paper) SPEJ Aug., 293-303
Willhite, G.P. *et al.*: *A Study of Oil Displacement by Microemulsion Systems-Mechanisms and Phase Behavior*, (Tech. Paper) SPEJ Dec., 459-472
Winkler, K. *et al.*: *Effects of Fluid Saturation on Waves in Porous Rock and Relation to Hydraulic Permeability*, (Tech. Paper) SPEJ Dec., 450-458
Woll, W. and **Brunner, E.**: *Solubility of Sulfur in Hydrogen Sulfide and Sour Gases*, (Tech. Paper) SPEJ Oct., 377-384

Y

Yamada, S.E. and **Jones, A.H.**: *A Review of a Pulse Technique for Permeability Measurements*, (Forum) SPEJ Oct., 357-358
Youngren, G.K.: *Development and Application of an In-Situ Combustion Reservoir Simulator*, (Tech. Paper) SPEJ Feb., 39-51

Z

Zyvoloski, G.A. and **O'Sullivan, M.J.**: *Simulation of a Gas-Dominated, Two-Phase Geothermal Reservoir*, (Tech. Paper) SPEJ Feb., 52-58

Subject Index

A

Acids
Fracturing: effect of heat of reaction on temperature distribution and acid penetration, (Tech. Paper) SPEJ Dec., 501-507
Acoustic Velocity Logging
Shear wave velocities: determined from long- and short-spaced borehole devices, (Tech. Paper) SPEJ Oct., 317-326
Adsorption
Of surfactants in porous media, (Tech. Paper) SPEJ Dec., 430-438
Rate-controlled: chemical transport in porous media, (Tech. Paper) SPEJ June, 129-138
Algorithm
History matching: two-phase petroleum reservoir, (Tech. Paper) SPEJ Dec., 521-532
American Petroleum Institute
SEE: California
Analogs
SEE: Models
Analytical Methods
Comparison with finite difference method: radial steam flow in two-phase geothermal reservoirs, (Tech. Paper) SPEJ Oct., 359-362
Appraisal
SEE: Evaluations
Australia
Calcareous sands: crushing during drained shear, (Tech. Paper) SPEJ Apr., 77-85

B

Bacteria
Nitrifying: in-situ uranium solution mining, (Tech. Paper) SPEJ Oct., 415-422
Bagnore Field
See Italy, (Tech. Paper) SPEJ Aug., 228-238
Biological Survey
Nitrification and in-situ uranium solution mining, (Tech. Paper) SPEJ Oct., 415-422
Boreholes
Acoustic devices: long- and short-spaced; shear wave velocities determined from, (Tech. Paper) SPEJ Oct., 317-326
Bottom-Hole Pressure
Boundary conditions: reservoir simulation using, (Tech. Paper) SPEJ Dec., 473-486
Boundary Conditions
Bottom-hole pressure: reservoir simulation using, (Tech. Paper) SPEJ Dec., 473-486
Brines
SEE: Water

C

Cables
Oil well: materials approach to the development, (Tech. Paper) SPEJ Dec., 591-597
California
Imperial Valley: chemical analyses of brines from four geothermal wells, (Tech. Paper) SPEJ Apr., 105-112
Midway Sunset field: representing steam processes with vacuum models, (Tech. Paper) SPEJ June, 151-174
Mt. Poso field: representing steam processes with vacuum models, (Tech. Paper) SPEJ June, 151-174
Carbon Dioxide
And water mixture: simulation of a gas dominated, two-phase geothermal reservoir, (Tech. Paper) SPEJ Feb., 52-58
Component in an in-situ combustion reservoir simulator: development and application, (Tech. Paper) SPEJ Feb., 39-51
Injection sequence: effect on tertiary oil recovery; laboratory studies, (Forum) SPEJ Aug., 278-280
Steam geothermal reservoir: Bagnore field, Italy; behavior of, (Tech. Paper) SPEJ Aug., 228-238
Cations
Exchange: with sorbed ammonium cation; restoration, (Tech. Paper) SPEJ Aug., 221-227
Centrifuge
Method: for measuring relative permeability; oil recovery by gravity drainage, (Tech. Paper) SPEJ June, 139-150
Chemical analyses
Of brines: from four geothermal wells; Imperial Valley, California, (Tech. Paper) SPEJ Apr., 105-112
Chemicals
Flooding recovery using tall oil pitch, (Tech. Paper) SPEJ Dec., 439-449
Transport in porous media: with dispersion and rate-controlled adsorption, (Tech. Paper) SPEJ June, 129-138
Clays
Hydrothermal changes: drilling fluids, (Tech. Paper) SPEJ Oct., 385-390
Coals
Reverse combustion instabilities, (Tech. Paper) SPEJ Aug., 267-277
Combustion
Numerical model simulating in-situ combustion, (Tech. Paper) SPEJ Dec., 533-554
Reverse: instabilities in tar sands and coal, (Tech. Paper) SPEJ Aug., 267-277
Combustion Drive
SEE: Thermal Recovery of Oil
Combustion Method of Oil Recovery
SEE: Thermal Recovery of Oil
Compaction
Of oil shale aggregates at high temperatures, (Tech. Paper) SPEJ Apr., 95-104
Completion
SEE: Texas
Computers
Modeling: explosive fracture studies on oil shale, (Tech. Paper) SPEJ Oct., 349-356
Concretes
Prestressed: high- and low-cycle fatigue behavior:, (Tech. Paper) SPEJ Aug., 304-310
Coning
SEE: California
Construction
Requirements: of oil well cables, (Tech. Paper) SPEJ Dec., 591-597
Contact Angle
SEE: Oklahoma
Continuum mechanics
Analyses: some results of the hydraulic fracturing process, (Tech. Paper) SPEJ Apr., 86-94
Convection
Of surfactants in porous media, (Tech. Paper) SPEJ Dec., 430-438

Cores
Experiments: tall oil pitch in chemical recovery, (Tech. Paper) SPEJ Dec., 439-449
Correlations
Of emulsion stability with phase behavior: surfactant systems for tertiary oil recovery, (Tech. Paper) SPEJ Oct., 402-406
Critical Properties
Calculations for multipoint systems, (Tech. Paper) SPEJ Feb., 15-24
Crushing
Calcareous sands: during drained shear, (Tech. Paper) SPEJ Apr., 77-85

D

Delaware-Childers Field
See Oklahoma, (Tech. Paper) SPEJ Feb., 39-51
Deposition
Silica: kinetics of; from simulated geothermal brines, (Tech. Paper) SPEJ Aug., 239-248
Design
Criteria: large wire rope mooring winch drum, (Tech. Paper) SPEJ Apr., 63-74
Developments
Oil well cables: materials approach to, (Tech. Paper) SPEJ Dec., 591-597
Diffusivity
Equation: for two-phase (water/steam) flow; geothermal reservoirs, (Tech. Paper) SPEJ June, 206-214
Dispersion
Chemical transport in porous media, (Tech. Paper) SPEJ June, 129-138
Mass: of surfactants in porous media, (Tech. Paper) SPEJ Dec., 430-438
Displacement
SEE: Miscible Displacement
Thermal Recovery of Oil
Waterflooding
Displacement Mechanism
Gravity drainage: oil recovery by, (Tech. Paper) SPEJ June, 139-150
Oil: by microemulsion systems; study of mechanisms and phase behavior, (Tech. Paper) SPEJ Dec., 459-472
Relative permeability: influence of very low interfacial tension, (Tech. Paper) SPEJ Oct., 391-401
Distillation
Effect on steamflooding: method for predicting oil recovery, (Tech. Paper) SPEJ Aug., 249-266
Doppler Effect
SEE: Wave Propagation
Drilling Fluids
Geothermal wells: investigation of changes in structure of clays during hydrothermal study, (Tech. Paper) SPEJ Oct., 385-390
Dynamics
Random wave excitation: prediction of damping controlled response of offshore structures, (Tech. Paper) SPEJ Feb., 5-14

E

East Coalinga Field
SEE: California
Electric Logging
SEE: Well Logging
Emulsions
Stability: correlation with phase behavior; surfactant systems for tertiary oil recovery, (Tech. Paper) SPEJ Oct., 402-406
Enhanced Recovery
Oil: application of fractional flow theory, (Tech. Paper) SPEJ June, 191-205
Equations of State
Compositional model, (Tech. Paper) SPEJ Oct., 363-376
Multipoint systems: critical point and saturation pressure calculations, (Tech. Paper) SPEJ Feb., 15-24
Equipment
Cables: oil well; materials approach to the development, (Tech. Paper) SPEJ Dec., 591-597
Large wire rope mooring winch drum: analysis and design criteria, (Tech. Paper) SPEJ Apr., 63-74
Evaluations
SEE: Field Tests
Formation Evaluation
Laboratory Studies
Laboratory and field: inelastic neutron scattering and capture gamma ray spectrometry tool, (Tech. Paper) SPEJ Oct., 327-340
Prestressed concrete: high- and low-cycle fatigue behavior in offshore structures, (Tech. Paper) SPEJ Aug., 304-310
Explosives
Fracture studies on oil shale, (Tech. Paper) SPEJ Oct., 349-356

F

Fatigue
High- and low-cycle behavior of prestressed concrete in offshore structures, (Tech. Paper) SPEJ Aug., 304-310
Offshore structures: prediction of damping-controlled response to random wave excitation, (Tech. Paper) SPEJ Feb., 5-14
Field Applications
SEE: Field Tests
Field Tests
SEE: Evaluations
Evaluation of an inelastic neutron scattering and capture gamma ray spectrometry tool, (Tech. Paper) SPEJ Oct., 327-340
In-situ combustion model, (Tech. Paper) SPEJ Dec., 533-554
In-situ combustion reservoir simulator: development and application, (Tech. Paper) SPEJ Feb., 39-51
Finite Difference Method
Comparison with analytical method: radial steam flow in two-phase geothermal reservoirs, (Tech. Paper) SPEJ Oct., 359-362
For reservoir simulation, (Tech. Paper) SPEJ June, 120-128
Fireflood
SEE: Thermal Recovery of Oil
Floatation Equipment
For cleaning produced water by gas flotation: laboratory results, (Tech. Paper) SPEJ June, 175-190
Oil-water separation by induced air, (Tech. Paper) SPEJ Dec., 579-590
Fluid Flow
SEE: Miscible Displacement
Thermal Recovery of Oil
Waterflooding
Multiphase: operator compact implicit method for reservoir simulation, (Tech. Paper) SPEJ June, 120-128
Non-Newtonian power-law fluids in porous media: wellbore storage and skin effects during transient flow, (Tech. Paper) SPEJ Feb., 25-38
Radial: steam in two-phase geothermal reservoirs; comparison of analytical and finite difference solutions, (Tech. Paper) SPEJ Oct., 359-362
Single-phase: reservoir simulation using bottom-hole pressure boundary conditions, (Tech. Paper) SPEJ Dec., 473-486
Steamflooding: including the effects of distillation and gravity override; method for predicting oil recovery, (Tech. Paper) SPEJ Aug., 249-266
Tertiary oil: effect of fractional flow hysteresis on recovery, (Tech. Paper) SPEJ Dec., 508-520
Two-Phase (water/steam): geothermal reservoirs; pressure transient analysis, (Tech. Paper) SPEJ June, 206-214

Two-phase: pipeline-riser pipe system; experimental study of severe slugging, (Tech. Paper) SPEJ Oct., 407-414
porous media; influence of very low interfacial tensions on relative permeability, (Tech. Paper) SPEJ Oct., 391-401
Waterfloods and thermal floods: simulation of hydraulic fracturing processes, (Tech. Paper) SPEJ Dec., 487-500

Fluid Injection
SEE: Miscible Displacement
Thermal Recovery of Oil
Waterflooding

Fluid Properties
n-Heptane and methane: influence of very low interfacial tensions on relative permeability, (Tech. Paper) SPEJ Oct., 391-401

Fluid Saturation
Effects on waves in porous media: relation to hydraulic permeability, (Tech. Paper) SPEJ Dec., 450-458

Forces
Extreme: in short crested seas, (Tech. Paper) SPEJ Dec., 567-578

Formation Evaluation
SEE: Well Logging
Shear wave velocities: determined from long- and short-spaced borehole acoustic devices, (Tech. Paper) SPEJ Oct., 317-326

Formation Fractures
Explosive studies of oil shale, (Tech. Paper) SPEJ Oct., 349-356
Waterflood-induced hydraulic type: modeling the propagation, (Tech. Paper) SPEJ Aug., 293-303

Formation Fracturing
Effect of heat of reaction on temperature distribution and acid penetration, (Tech. Paper) SPEJ Dec., 501-507
Hydraulic process: some results from continuum mechanics, (Tech. Paper) SPEJ Apr., 86-94
Simulation of the hydraulic processes, (Tech. Paper) SPEJ Dec., 487-500

Fractional Flow Equation
Application to enhanced oil recovery, (Tech. Paper) SPEJ June, 191-205

Fractured Reservoirs or Fracturing
SEE: Formation Fractures
Formation Fracturing

Fractures
SEE: Formation Fractures

G

Gamma Rays
Capture spectrometry tool: laboratory and field evaluation, (Tech. Paper) SPEJ Oct., 327-340

Gasification
Coal: reverse combustion instabilities, (Tech. Paper) SPEJ Aug., 267-277

Geothermal Gradient
SEE: Temperature

Geothermal Reservoir
Gas-dominated, two-phase: simulation of, (Tech. Paper) SPEJ Feb., 52-58
Italy: behavior of Bagnore steam/CO2, (Tech. Paper) SPEJ Aug., 228-238
Two-Phase (water/steam): pressure transient analysis, (Tech. Paper) SPEJ June, 206-214
Two-phase: radial steam flow; comparison of analytical and finite difference solutions, (Tech. Paper) SPEJ Oct., 359-362

Geothermal Steam
Hydrothermal study of drilling fluids: investigation of changes in structure of clays, (Tech. Paper) SPEJ Oct., 385-390

Geothermal Wells
Chemical analyses of brines: from four wells; Imperial Valley, California, (Tech. Paper) SPEJ Apr., 105-112
Wellbore storage effects, (Tech. Paper) SPEJ Dec., 555-566

Gravity Drainage
Oil recovery by, (Tech. Paper) SPEJ June, 139-150

Gravity Segregation
SEE: Gravity Drainage

Ground Water
Pollution: nitrification and in-situ uranium solution mining, (Tech. Paper) SPEJ Oct., 415-422

Gulf Coast
SEE: Texas
Physical properties of shales and possible origin of high pressures, (Tech. Paper) SPEJ Oct., 341-348

H

Hanna Field
See Wyoming, (Tech. Paper) SPEJ Aug., 267-277

Hawkins Field
SEE: Texas

Heat
Of reaction: effect on temperature distribution and acid penetration in a fracture, (Tech. Paper) SPEJ Dec., 501-507

Heat Conduction
SEE: Heat
Heat Transfer

Heat Transfer
Associated with hydraulic fracturing process: simulation in mathematical model, (Tech. Paper) SPEJ Dec., 487-500

History
Matching: two-phase petroleum reservoir, (Tech. Paper) SPEJ Dec., 521-532

Humboldt-Chanute Field
See Kansas, (Tech. Paper) SPEJ Feb., 39-51

Hydrocarbon Recovery
SEE: Oil Recovery

Hydrogen Sulfide
Solubility of sulfur in, (Tech. Paper) SPEJ Oct., 377-384

Hysteresis
Fractional flow: effect on recovery of tertiary oil, (Tech. Paper) SPEJ Dec., 508-520

I

Imperial Valley
See California, (Tech. Paper) SPEJ Apr., 105-112

In-Situ Combustion
SEE: Thermal Recovery of Oil

India
Calcareous sands: crushing during drained shear, (Tech. Paper) SPEJ Apr., 77-85

Injection
SEE: Miscible Displacement
Waterflooding
CO2 sequence: effect on tertiary oil recovery; laboratory studies, (Forum) SPEJ Aug., 278-280
Steam: representing process with vacuum models, (Tech. Paper) SPEJ June, 151-174

Interfaces
Well-bonded: pressurized fracturing near; some results from continuum mechanics analyses, (Tech. Paper) SPEJ Apr., 86-94

Interfacial Tension
Very low: influence on relative permeability, (Tech. Paper) SPEJ Oct., 391-401

Italy
Bagnore steam/CO2 geothermal reservoir: behavior, (Tech. Paper) SPEJ Aug., 228-238

K

Kansas
Humbolt-Chanute field: development and application of an in-situ combustion reservoir simulator, (Tech. Paper) SPEJ Feb., 39-51
Kelly-Snyder Field
SEE: Texas
Kinetics
Of silica deposition: from simulated geothermal brines, (Tech. Paper) SPEJ Aug., 239-248

L

Laboratory Studies
Cleaning produced water by gas flotation, (Tech. Paper) SPEJ June, 175-190
Convection, dispersion and adsorption of surfactants in porous media, (Tech. Paper) SPEJ Dec., 430-438
Crushing of calcareous sands: during drained shear, (Tech. Paper) SPEJ Apr., 77-85
Effects of CO2 injection sequence on tertiary oil recovery, (Forum) SPEJ Aug., 278-280
Evaluation of an inelastic neutron scattering and capture gamma ray spectrometry tool, (Tech. Paper) SPEJ Oct., 327-340
Extreme forces in short crested seas, (Tech. Paper) SPEJ Dec., 567-578
Fractional flow hysteresis: effect on recovery of tertiary oil, (Tech. Paper) SPEJ Dec., 508-520
Gravity drainage: oil recovery by, (Tech. Paper) SPEJ June, 139-150
In-situ combustion process: development and application of a reservoir simulator, (Tech. Paper) SPEJ Feb., 39-51
Kinetics of silica deposition: from simulated geothermal brines, (Tech. Paper) SPEJ Aug., 239-248
Nitrification and in-situ uranium solution mining, (Tech. Paper) SPEJ Oct., 415-422
Oil displacement by microemulsion systems: mechanisms and phase behavior, (Tech. Paper) SPEJ Dec., 459-472
Oil shale: explosive fracture, (Tech. Paper) SPEJ Oct., 349-356
Oil-shale aggregates: compaction and permeability at high temperatures, (Tech. Paper) SPEJ Apr., 95-104
Oil-water separation by induced air flotation, (Tech. Paper) SPEJ Dec., 579-590
Relative permeability: influence of very low interfacial tension, (Tech. Paper) SPEJ Oct., 391-401
Scaling factor: for representing steam processes with vacuum models, (Tech. Paper) SPEJ June, 151-174
Severe slugging: two-phase-flow pipeline-riser pipe system, (Tech. Paper) SPEJ Oct., 407-414
Solubility of sulfur: in hydrogen sulfide and sour gases, (Tech. Paper) SPEJ Oct., 377-384
Tall oil pitch in chemical recovery, (Tech. Paper) SPEJ Dec., 439-449
Uranium in-situ leaching sites: restoration of, (Tech. Paper) SPEJ Aug., 221-227
Laminar Flow
SEE: Fluid Flow
Leaching
In-Situ: restoration of uranium sites, (Tech. Paper) SPEJ Aug., 221-227
Lenses
Embedded: effect on hydraulic fracturing process; some results from continuum mechanics analyses, (Tech. Paper) SPEJ Apr., 86-94
Lignites
SEE: Coals
Linear Displacement
SEE: Displacement Mechanism
Logging
SEE: Well Logging
Louisiana
South: laboratory results of cleaning produced water by gas flotation, (Tech. Paper) SPEJ June, 175-190

M

Mathematical Modeling
SEE: Models
Measurement
Microwave: effect of fractional flow hysteresis on tertiary oil recovery, (Tech. Paper) SPEJ Dec., 508-520
Permeability: review of a pulse technique for, (Forum) SPEJ Oct., 357-358
Solubility of sulfur: in hydrogen sulfide and sour gases, (Tech. Paper) SPEJ Oct., 377-384
Micellar Systems
Oil displacement by microemulsions: study of mechanisms and phase behavior, (Tech. Paper) SPEJ Dec., 459-472
Microemulsions
Systems: study of mechanisms and phase behavior of oil displacement, (Tech. Paper) SPEJ Dec., 459-472
Middle East
Field evaluation: inelastic neutron scattering and capture gamma ray spectrometry tool, (Tech. Paper) SPEJ Oct., 327-340
Midway Sunset Field
See California, (Tech. Paper) SPEJ June, 151-174
Mining
In-situ uranium solution: and nitrification, (Tech. Paper) SPEJ Oct., 415-422
Miscible Displacement
Compositional model: equation of state, (Tech. Paper) SPEJ Oct., 363-376
Models
SEE: Simulation
Compositional: equation of state, (Tech. Paper) SPEJ Oct., 363-376
Dynamic adsorption: of surfactants in porous media, (Tech. Paper) SPEJ Dec., 430-438
Fluid flow; steamflooding including effects of distillation; method for predicting oil recovery, (Tech. Paper) SPEJ Aug., 249-266
In-situ combustion, (Tech. Paper) SPEJ Dec., 533-554
In-situ combustion process: fluid flow, heat transfer, and vaporizationcondensation, (Tech. Paper) SPEJ Feb., 39-51
Linear oscillator: prediction of damping-controlled response of offshore structures to random wave excitation, (Tech. Paper) SPEJ Feb., 5-14
Lumped-parameter producing-state: behavior of Bagnore steam/CO2 geothermal reservoir, Italy, (Tech. Paper) SPEJ Aug., 228-238
Mathematical: chemical transport in porous media with dispersion and rate-controlled adsorption, (Tech. Paper) SPEJ June, 129-138
effect of heat of reaction on temperature distribution and acid penetration in a fracture, (Tech. Paper) SPEJ Dec., 501-507
mass action of cation exchange processes; restoration of ranium in-situ leaching sites, (Tech. Paper) SPEJ Aug., 221-227
radial steam flow in two-phase geothermal reservoirs; comparison of analytical and finite difference solutions, (Tech. Paper) SPEJ Oct., 359-362
simulation of hydraulic fracturing processes, (Tech. Paper) SPEJ Dec., 487-500
One dimensional: reservoir simulation using bottom-hole pressure boundary conditions, (Tech. Paper) SPEJ Dec., 473-486
Physical: modeling propagation of waterflood-induced hydraulic fractures, (Tech. Paper) SPEJ Aug., 293-303

Qualitative: oil displacement by microemulsion systems; mechanisms and phase behavior, (Tech. Paper) SPEJ Dec., 459-472
Reverse combustion: measuring instabilities in tar sands and coal, (Tech. Paper) SPEJ Aug., 267-277
Slug flow: two-phase-flow pipeline-riser pipe system; experimental study of severe slugging, (Tech. Paper) SPEJ Oct., 407-414
Stress wave: explosive fracture studies on oil shale, (Tech. Paper) SPEJ Oct., 349-356
Theoretical: hydraulic fracturing process; some results from continuum mechanics, (Tech. Paper) SPEJ Apr., 86-94
Vacuum: representing steam processes with, (Tech. Paper) SPEJ June, 151-174

Montmorillonite
Dewatering: physical properties of shales and possible origin of high pressures, (Tech. Paper) SPEJ Oct., 341-348

Moorings
Large wire rope winch drum: analysis and design criteria, (Tech. Paper) SPEJ Apr., 63-74

Mount Poso Field
See California, (Tech. Paper) SPEJ June, 151-174

N

Neutron Lifetime Logging
Data: physical properties of shales and possible origin of high pressures, (Tech. Paper) SPEJ Oct., 341-348

Neutron Logging
Inelastic scattering: laboratory and field evaluation of a spectrometry tool, (Tech. Paper) SPEJ Oct., 327-340

Non-Newtonian Systems
Transient flow of power-law fluids in porous media: wellbore storage and skin effects during, (Tech. Paper) SPEJ Feb., 25-38

Numerical Solutions
Analysis and design criteria: large wire rope mooring winch drum, (Tech. Paper) SPEJ Apr., 63-74
Chemical transport in porous media: with dispersion and rate-controlled adsorption, (Tech. Paper) SPEJ June, 129-138
Cleaning produced water by gas flotation: laboratory results, (Tech. Paper) SPEJ June, 175-190
Critical point and saturation pressure: multipoint systems, (Tech. Paper) SPEJ Feb., 15-24
Damping-controlled response of offshore structures to random wave excitation: prediction of, (Tech. Paper) SPEJ Feb., 5-14
Enhanced oil recovery: application of fractional flow theory, (Tech. Paper) SPEJ June, 191-205
Equation of state compositional model, (Tech. Paper) SPEJ Oct., 363-376
Extreme forces in short crested seas, (Tech. Paper) SPEJ Dec., 567-578
For reservoir simulation: operator compact implicit method, (Tech. Paper) SPEJ June, 120-128
Gas-dominated, two-phase geothermal reservoir simulation, (Tech. Paper) SPEJ Feb., 52-58
History matching: two-phase petroleum reservoir, (Tech. Paper) SPEJ Dec., 521-532
In-situ combustion model, (Tech. Paper) SPEJ Dec., 533-554
In-situ combustion process: development and application of a reservoir simulator, (Tech. Paper) SPEJ Feb., 39-51
Kinetics of silica deposition: from simulated geothermal brines, (Tech. Paper) SPEJ Aug., 239-248
Modeling propagation of waterflood-induced hydraulic fractures, (Tech. Paper) SPEJ Aug., 293-303
Oil recovery by gravity drainage, (Tech. Paper) SPEJ June, 139-150
Predicting oil recovery: by steamflooding including the effects of distillation and gravity override, (Tech. Paper) SPEJ Aug., 249-266
Reservoir simulation using bottom-hole pressure boundary conditions, (Tech. Paper) SPEJ Dec., 473-486
Reverse instabilities: cal Solutions, (Tech. Paper) SPEJ Aug., 267-277
Simulatin of hydraulic fracturing processes, (Tech. Paper) SPEJ Dec., 487-500
Two-Phase (water/steam) geothermal reservoirs: pressure transient analysis, (Tech. Paper) SPEJ June, 206-214
Wellbore storage and skin effects: transient flow of non-Newtonian power-law fluids in porous media, (Tech. Paper) SPEJ Feb., 25-38
Wellbore storage effects: geothermal wells, (Tech. Paper) SPEJ Dec., 555-566

O

Offshore
Extreme forces in short crested seas, (Tech. Paper) SPEJ Dec., 567-578
Large wire rope mooring winch drum: analysis and design criteria, (Tech. Paper) SPEJ Apr., 63-74
Structures: high- and low-cycle fatigue behavior of prestressed concrete, (Tech. Paper) SPEJ Aug., 304-310
prediction of damping-controlled response to random wave excitation, (Tech. Paper) SPEJ Feb., 5-14

Offshore Operations
Continental shelves: crushing of calcareous sands during drained shear, (Tech. Paper) SPEJ Apr., 77-85
Two-phase-flow pipeline-riser pipe system: experimental study of severe slugging, (Tech. Paper) SPEJ Oct., 407-414

Oil
Tall, pitch: in chemical recovery, (Tech. Paper) SPEJ Dec., 439-449

Oil Recovery
By gravity drainage, (Tech. Paper) SPEJ June, 139-150
By steamflooding including effects of distillation and gravity override: method for predicting, (Tech. Paper) SPEJ Aug., 249-266
Chemical flooding: using tall oil pitch, (Tech. Paper) SPEJ Dec., 439-449
Cleaning produced water by gas flotation: laboratory results, (Tech. Paper) SPEJ June, 175-190
Enhanced: application of fractional flow theory, (Tech. Paper) SPEJ June, 191-205
Process: influence of very low interfacial tensions on relative permeability, (Tech. Paper) SPEJ Oct., 391-401
Tertiary: correlation of emulsion stability with phase behavior in surfactant systems, (Tech. Paper) SPEJ Oct., 402-406
effect of fractional flow hysteresis, (Tech. Paper) SPEJ Dec., 508-520
laboratory study of effects of CO2 injection sequence on, (Forum) SPEJ Aug., 278-280

Oil Shales
Aggregates: compaction and permeability at high temperatures, (Tech. Paper) SPEJ Apr., 95-104
Explosive fracture studies, (Tech. Paper) SPEJ Oct., 349-356

Oil Wells
Cables: materials approach to the development, (Tech. Paper) SPEJ Dec., 591-597

Oklahoma
Delaware-Childers field: development and application of an in-situ combustion reservoir simulator, (Tech. Paper) SPEJ Feb., 39-51

Operator Compact Implicit Method
For reservoir simulation, (Tech. Paper) SPEJ June, 120-128

P

Penetration
Acid: in a fracture; effect of heat of reaction on, (Tech. Paper) SPEJ Dec., 501-507

Performance Predictions
Oil-water separation by induced air flotation, (Tech. Paper) SPEJ Dec., 579-590
Permeability
Hydraulic: relation to effects of fluid saturation on waves in porous rock, (Tech. Paper) SPEJ Dec., 450-458
Measurements: review of a pulse technique, (Forum) SPEJ Oct., 357-358
Of oil shale aggregates at high temperatures, (Tech. Paper) SPEJ Apr., 95-104
Relative: influence of very low interfacial tensions, (Tech. Paper) SPEJ Oct., 391-401
Petroleum
SEE: Oil
Phase Behavior
Compositional model: equation of state, (Tech. Paper) SPEJ Oct., 363-376
Correlation with emulsion stability: surfactant systems for tertiary oil recovery, (Tech. Paper) SPEJ Oct., 402-406
Gas and oil: influence of very low interfacial tensions on relative permeability, (Tech. Paper) SPEJ Oct., 391-401
Multipoint systems: calculations of critical point and saturation pressure, (Tech. Paper) SPEJ Feb., 15-24
Oil displacement by microemulsion systems, (Tech. Paper) SPEJ Dec., 459-472
Solubility of sulfur in hydrogen sulfide and sour gases, (Tech. Paper) SPEJ Oct., 377-384
Physical Properties
Of shales: and possible origin of high pressures, (Tech. Paper) SPEJ Oct., 341-348
Pile Driving
Crushing of calcareous sands: during drained shear, (Tech. Paper) SPEJ Apr., 77-85
Pilot Study
Oil-water separation by induced air flotation, (Tech. Paper) SPEJ Dec., 579-590
Pipelines
Riser pipe system: two-phase flow; experimental study of severe slugging, (Tech. Paper) SPEJ Oct., 407-414
Platforms
Offshore structures: prediction of damping-controlled response to random wave excitation, (Tech. Paper) SPEJ Feb., 5-14
Polymers
Floods: application of fractional flow theory to enhanced oil recovery, (Tech. Paper) SPEJ June, 191-205
Porous Media
Chemical transport in: with dispersion and rate-controlled adsorption, (Tech. Paper) SPEJ June, 129-138
Convection, dispersion and adsorption effects in porous media, (Tech. Paper) SPEJ Dec., 430-438
Effects of fluid saturation on waves: relation to hydraulic permeability, (Tech. Paper) SPEJ Dec., 450-458
Operator compact implicit method for reservoir simulation, (Tech. Paper) SPEJ June, 120-128
Permeability measurement: review of a pulse technique, (Forum) SPEJ Oct., 357-358
Transient flow of non-Newtonian power-law fluids: wellbore storage and skin effects during, (Tech. Paper) SPEJ Feb., 25-38
Pressure Behavior
SEE: Reservoir Pressure
Critical point and saturation pressure: calculations for multipoint systems, (Tech. Paper) SPEJ Feb., 15-24
Possible origin of high-pressure shales, (Tech. Paper) SPEJ Oct., 341-348
Pressure Maintenance
SEE: Miscible Displacement
Waterflooding
Pressure Transients
Analysis: for two-phase (water/steam) geothermal reservoirs, (Tech. Paper) SPEJ June, 206-214
Geothermal reservoir: simulation of gas-dominated, two-phase type, (Tech. Paper) SPEJ Feb., 52-58
Production Operations
Two-phase-flow pipeline-riser pipe system: experimental study of severe slugging, (Tech. Paper) SPEJ Oct., 407-414
Pulse Testing
Pulse technique: for permeability measurement, (Forum) SPEJ Oct., 357-358

R

Recovery Methods
SEE: Oil Recovery
Tertiary Recovery
Thermal Recovery of Oil
Relative Permeability
SEE: Permeability
Estimation: two-phase petroleum reservoirs; history matching, (Tech. Paper) SPEJ Dec., 521-532
Oil recovery by gravity drainage, (Tech. Paper) SPEJ June, 139-150
Reservoir Analysis
SEE: Performance Predictions
Reservoir Engineering
SEE: Reservoir Mechanics
Reservoir Mechanics
Enhanced oil recovery: application of fractional flow theory, (Tech. Paper) SPEJ June, 191-205
Reservoir Pressure
SEE: Pressure Behavior
Possible origin of high-pressure shales, (Tech. Paper) SPEJ Oct., 341-348
Reservoir Rocks
SEE: Cores
Porous Media
Reservoir Simulation
SEE: Models
Gas-dominated, two-phase geothermal reservoir, (Tech. Paper) SPEJ Feb., 52-58
Operator compact implicit method, (Tech. Paper) SPEJ June, 120-128
Using bottom-hole pressure boundary conditions, (Tech. Paper) SPEJ Dec., 473-486
Reservoirs
SEE: Gravity Drainage
Isothermal compositional model: equation of state, (Tech. Paper) SPEJ Oct., 363-376
Two-phase petroleum: history matching, (Tech. Paper) SPEJ Dec., 521-532
Restoration
Uranium in-situ leaching sites, (Tech. Paper) SPEJ Aug., 221-227
Reverse Combustion
SEE: Thermal Recovery of Oil
Rock Properties
Effects of fluid saturation on waves in porous rock: relation to hydraulic permeability, (Tech. Paper) SPEJ Dec., 450-458
Two-phase petroleum reservoirs: history matching, (Tech. Paper) SPEJ Dec., 521-532

S

Sand
Calcareous: crushing during drained shear, (Tech. Paper) SPEJ Apr., 77-85
Santa Barbara Channel
SEE: California
Saturation
Pressure: calculations for multipoint systems, (Tech. Paper) SPEJ Feb., 15-24

Saudia Arabia
Calcareous sands: crushing during drained shear, (Tech. Paper) SPEJ Apr., 77-85
Scaling
Steam processes: representing with vacuum models, (Tech. Paper) SPEJ June, 151-174
Seawater
Short crested waves: extreme forces in, (Tech. Paper) SPEJ Dec., 567-578
Secondary Recovery
SEE: Miscible Displacement
Thermal Recovery of Oil
Waterflooding
Separation
Oil-water: by induced air flotation, (Tech. Paper) SPEJ Dec., 579-590
Sepiolite
Reactions in presence of salts and hydroxides: investigation of changes in structure of clays during hydrothermal study of drilling fluids, (Tech. Paper) SPEJ Oct., 385-390
Shale Oils
SEE: Oil Shales
Shales
High pressure: physical properties and possible origin, (Tech. Paper) SPEJ Oct., 341-348
Shear Waves
Velocities: determined from long- and short-spaced borehole acoustic devices, (Tech. Paper) SPEJ Oct., 317-326
Silica
Deposition: kinetics of; from simulated geothermal brines, (Tech. Paper) SPEJ Aug., 239-248
Simulation
Compositional model: equation of state, (Tech. Paper) SPEJ Oct., 363-376
Explosive fracture: studies on oil shale, (Tech. Paper) SPEJ Oct., 349-356
Gas-dominated, two-phase geothermal reservoir, (Tech. Paper) SPEJ Feb., 52-58
Geothermal brines: kinetics of silica deposition, (Tech. Paper) SPEJ Aug., 239-248
Hydraulic fracturing processes, (Tech. Paper) SPEJ Dec., 487-500
In-situ combustion: development and application of a reservoir simulator, (Tech. Paper) SPEJ Feb., 39-51
In-situ combustion model, (Tech. Paper) SPEJ Dec., 533-554
Steamflooding: including effects of distillation and gravity override;, (Tech. Paper) SPEJ Aug., 249-266
Waterflood-induced hydraulic fractures: modeling the propagation, (Tech. Paper) SPEJ Aug., 293-303
Skin Effect
During transient flow of non-Newtonian power-law fluids in porous media, (Tech. Paper) SPEJ Feb., 25-38
Slug Process
SEE: Miscible Displacement
Experimental study of severe slugging: two-phase-flow pipeline-riser pipe system, (Tech. Paper) SPEJ Oct., 407-414
Solubility
Sulfur: in hydrogen sulfide and sour gases, (Tech. Paper) SPEJ Oct., 377-384
Sonic Logging
SEE: Acoustic Velocity Logging
Sonic Method
Shear wave velocities determined from, (Tech. Paper) SPEJ Oct., 317-326
Sour Gas
Solubility of sulfur in, (Tech. Paper) SPEJ Oct., 377-384
Stability
Emulsion: correlation with phase behavior; surfactant systems for tertiary oil recovery, (Tech. Paper) SPEJ Oct., 402-406
Reverse combustion instabilities in tar sands and coal, (Tech. Paper) SPEJ Aug., 267-277
Steam Drive
CO2 geothermal reservoir: Bagnore field, Italy; behavior of, (Tech. Paper) SPEJ Aug., 228-238
Radial flow: two-phase geothermal reservoirs; comparison of analytical and finite difference solutions, (Tech. Paper) SPEJ Oct., 359-362
Representing with vacuum processes, (Tech. Paper) SPEJ June, 151-174
Steam Injection
SEE: Thermal Recovery of Oil
Storage
Effects, wellbore: geothermal wells, (Tech. Paper) SPEJ Dec., 555-566
Wellbore: during transient flow of non-Newtonian power-law fluids in porous media, (Tech. Paper) SPEJ Feb., 25-38
Storage Facilities
SEE: Storage
Stratification
SEE: Permeability
Stresses
Oil-shale aggregates: at high temperatures, (Tech. Paper) SPEJ Apr., 95-104
Sulfur Content
Solubility: in hydrogen sulfide and sour gases, (Tech. Paper) SPEJ Oct., 377-384
Surfactants
Chemical recovery: tall oil pitch, (Tech. Paper) SPEJ Dec., 439-449
Flooding: convection, dispersion and adsorption effects in porous media, (Tech. Paper) SPEJ Dec., 430-438
Systems for tertiary oil recovery: correlation of emulsion stability with phase behavior, (Tech. Paper) SPEJ Oct., 402-406

T

Tar Sands
Reverse combustion instabilities, (Tech. Paper) SPEJ Aug., 267-277
Temperature
Distribution: in a fracture; effect of heat of reaction on, (Tech. Paper) SPEJ Dec., 501-507
High: compaction and permeability of oil-shale aggregates, (Tech. Paper) SPEJ Apr., 95-104
drilling fluids; investigation of changs in structure of clays during hydrothermal study, (Tech. Paper) SPEJ Oct., 385-390
Tertiary Recovery
Correlation of oil emulsion stability with phase behavior: surfactant systems, (Tech. Paper) SPEJ Oct., 402-406
Oil: effect of fractional flow hysteresis, (Tech. Paper) SPEJ Dec., 508-520
laboratory study of effects of CO2 injection sequence, (Forum) SPEJ Aug., 278-280
Testing
SEE: Field Tests
Geothermal wells: wellbore storage effects, (Tech. Paper) SPEJ Dec., 555-566
Oil well cables: and materials approach to the development, (Tech. Paper) SPEJ Dec., 591-597
Texas
Uranium in-situ leaching sites: restoration of, (Tech. Paper) SPEJ Aug., 221-227
Thermal Recovery of Oil
In-situ combustion: development and application of a reservoir simulator, (Tech. Paper) SPEJ Feb., 39-51
In-situ combustion model, (Tech. Paper) SPEJ Dec., 533-554
Reverse combustion: instabilities in tar sands and coal, (Tech. Paper) SPEJ Aug., 267-277
Steam processes: representing with vacuum models, (Tech. Paper) SPEJ June, 151-174
Steamflooding: including effects of distillation and gravity override; method for predicting oil recovery, (Tech. Paper) SPEJ Aug., 249-266

Transient Flow
Non-Newtonian power-law fluids in porous media: wellbore storage and skin effects during, (Tech. Paper) SPEJ Feb., 25-38
Permeability measurement: review of a pulse technique, (Forum) SPEJ Oct., 357-358
Pressure behavior: radial steam flow in two-phase geothermal reservoirs; comparison of analytical and finite difference solutions, (Tech. Paper) SPEJ Oct., 359-362
Wellbore: storage effects in geothermal wells, (Tech. Paper) SPEJ Dec., 555-566
Turbulent Flow
SEE: Fluid Flow

U

Underground Combustion
SEE: Combustion
Thermal Recovery of Oil
Underground Fluids
Nitrification and in-situ uranium solution mining, (Tech. Paper) SPEJ Oct., 415-422
Underground Storage
SEE: Storage
Uranium
Leaching: nitrification and in-situ solution mining, (Tech. Paper) SPEJ Oct., 415-422
Restoration of in-situ leaching sites, (Tech. Paper) SPEJ Aug., 221-227

V

Valuations
SEE: Evaluations
Velocity
Shear wave: determined from long- and short-spaced borehole acoustic devices, (Tech. Paper) SPEJ Oct., 317-326
Velocity Logging
SEE: Acoustic Velocity Logging
Viscous Flow
SEE: Fluid Flow

W

Water
Brines: chemical analyses of four geothermal wells; Imperial Valley, California, (Tech. Paper) SPEJ Apr., 105-112
Oil separation: by induced air flotation, (Tech. Paper) SPEJ Dec., 579-590
Produced: laboratory results of cleaning by gas flotation, (Tech. Paper) SPEJ June, 175-190
Slugs: and alternate CO2 slugs; effects of injection sequence on tertiary oil recovery, (Forum) SPEJ Aug., 278-280
Water-Base Muds
High temperature drilling fluids: investigation of changes in structure of clays during hydrothermal study, (Tech. Paper) SPEJ Oct., 385-390
Waterflooding
Enhanced oil recovery: application of fractional flow theory, (Tech. Paper) SPEJ June, 191-205
Modeling propagation of induced hydraulic fractures, (Tech. Paper) SPEJ Aug., 293-303
One and two dimensional: history matching in two-phase petroleum reservoirs, (Tech. Paper) SPEJ Dec., 521-532
Simulation of hydraulic fracturing processes, (Tech. Paper) SPEJ Dec., 487-500
Wave Action
Offshore structures: high- and low-cycle fatigue behavior of prestressed concrete, (Tech. Paper) SPEJ Aug., 304-310
Random excitation: prediction of the damping-controlled response of offshore structures, (Tech. Paper) SPEJ Feb., 5-14
Short crested seas: extreme forces in, (Tech. Paper) SPEJ Dec., 567-578
Wave Propagation
Porous rock: effects of fluid saturation on waves; relation to hydraulic permeability, (Tech. Paper) SPEJ Dec., 450-458
Well Logging
Long- and short-spaced borehole acoustic devices: shear wave velocities determined from, (Tech. Paper) SPEJ Oct., 317-326
Radioactive: inelastic neutron scattering and capture gamma ray spectrometry tool; laboratory and field evaluation, (Tech. Paper) SPEJ Oct., 327-340
Well Performance
SEE: Wellbore Mechanics
Well Stimulation
SEE: Formation Fracturing
Wellbore Mechanics
Storage and skin effects: during transient flow of non-Newtonian power-law fluids in porous media, (Tech. Paper) SPEJ Feb., 25-38
Storage effects in geothermal wells, (Tech. Paper) SPEJ Dec., 555-566
Whittier Field
SEE: California
Wire Rope
Large mooring winch drum: analysis and design criteria, (Tech. Paper) SPEJ Apr., 63-74
Wyoming
Hanna field: reverse combustion instabilities in tar sands and coal, (Tech. Paper) SPEJ Aug., 267-277